

**Request for Quotation**

Sealed Quotation are invited from the Registered Contractors for execution of the following works in the attached 'H' schedule. The quotation will be accepted up to **08.03.2023 at 11.00 A.M.** and will be opened on the same day at **11.30 A.M.** by the Convenor and tender committee. Relevant registration certificate of contractor must be enclosed with 'H' schedule. The Dean & FC has all right to accept/ reject any quotation without assigning the reason. Quantity can be increase/ decrease.

**Name of work: - Fixing of False Ceiling, Wash basin & LED lights in Plant Patho. Laboratory of Department of Plant Pathology, SKNCOA, Jobner**

**Estimated Cost: Rs. 99000/-**


**Work completion period: 10 Days.**

/

**R. P. Ghasolia**  
**(PI- Chickpea Project)**

Copy to:-


1. The Comptroller, SKNAU, Jobner
2. The Dean & FC, SKNCOA, Jobner
3. The Convenor & Tender Committee, SKNCOA, Jobner
4. Officer Incharge, CIMCA to upload on website of the University.
5. Accounts, SKNCOA, Jobner.
6. Notice Board- Office
7. M/s.....
8. M/s.....
9. M/s.....

  
**R. P. Ghasolia**  
**(PI- Chickpea Project)**

Principal, SKNCOA, Jobner  
Chickpea Project on SHP  
Dept. of Plant Pathology  
SVP College of Agri. Sci. (P)  
Jobner (Raj.)

**Name of Work: Minor repairing work and Fixing of False Ceiling in Plant patho. laboratory in Department of Plant Pathology.**  
**Based on Market Rate**

<b>"H" Schedule</b>					
S. No	Item Description	Qty	Unit	Rate (Rs)	Total Amount
1.	Providing and fixing of false ceiling in pathology laboratory with grid of M.S.tube section of size 19mm X 19mm and with a wall thickness of 1mm+/- 0.2mm.The side pipe and the intermediate pipes is fixed to the roof from the top with the help of ceiling angles/wire grid shall be covered by the up PVC profile section of size 6mm X 250mm with wall thickness of 0.80mm +/- 0.2mm,with the help of self-tapping screw of 6mm X 13mm, 6mm X 19mm.Necessary cutouts for electric connections, lighting, air conditioning etc. shall be provided at required place. The perimeter edge shall be covered by extruded PVC corner beading section of size 9mm X 28mm or 25mm X30mm with a wall thickness of 1mm+/-0.2mm fixed by applying cynoacrylic adhesive complete as per manufacturer's specification and direction of Engineer-in-charge.	<b>64 sq mt PG lab</b>	<b>sq mt</b>	Per Sqm _____	
2.	Providing & Fixing of IP20, 2'x2' LED Surface/ Recessed mounting Mid power SMD type LED Lightfixture not less than 50mm housing depth made from CRCA sheet steel housing, high purity / transmissivity UV stabilized Non -yellowish diffuser for uniform light distribution. High efficiency with 4 KV internal/external surge protection BIS certified isolated driver having efficiency > 85% , with Short & Open circuit protection (Integral with light fixture). System lumen efficacy of ≥ 120 lm/Watt ,THD < 10 % , p.f≥0.95,CRI >80 , life time of minimum 50000 Burning Hours with , 70% of initial Lumen maintained till life ends , CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin) , maximum power consumption should not more than the specified rating and Fixture shall be of BIS standard and trade mark certificate ( T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted. All as per pre-approved by Engineer incharge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . Minimum lumen output 3600 lm	<b>10</b>	<b>Nos.</b>	Per Unit -----	
3.	Wash basin (Steel) with tap fitting	<b>02</b>	<b>Nos.</b>	Per Unit -----	

  
 Chief Project Officer  
 Dept. of Plant Pathology  
 D.O. Office of Agri. (O.P.A.),  
 Jalandhar-151002, Jalandhar (Pun.)