



COLLEGE OF AGRICULTURE KUMHER
(S. K. N. AGRICULTURE UNIVERSITY)
District Deeg-321201 Rajasthan

Prof. R. K. Meena
Dean

Mobile No.: 8005842512
Email: dean.coabharatpur@sknau.ac.in

No. F. () /OT / COAK/ /2026/6754

Dated: 17/03/2026

Open Tender Notice

Sealed tenders are invited from the reputed firms/OEM for the supply of Laboratory Equipment's. The tender downloaded from state procurement portal Website www.sppp.rajasthan.gov.in on university website www.sknau.ac.in or will be available in working days from 17-03-2026 to 23-03-2026. The tender will be accepted up to 23-03-2026 (11.00 AM) and will be opened on the same day at 11.30 AM by the competent committee at College of Agriculture, Kumher. Approximate purchase can be increased / decreased and F.O.R. at College of Agriculture, Kumher. The detail information regarding above mentioned tender is available at our office and website www.sknau.ac.in. The undersigned reserve the right to Reject/Accept tender without assigning any reason of thereof.

S. No	Particular	Quantity	Bid Cost	Tender Fee	Amount Rs
1.	Laboratory Equipment's.	01	594000/-	₹ 500/- (Through UPI, DD/Bankers Cheque in favour of Dean College of Agriculture Bharatpur (Payable at Bharatpur) submitted physically.	₹ 11900/- (Through UPI, DD/Bankers Cheque in favour of Dean College of Agriculture Bharatpur (Payable at Bharatpur) submitted physically.
2.	pH Meter	01			
3.	Microwave Oven (32 liter)	01			
4.	Analytical Balance (Readability: 0 .0001 g)	01			
5.	Hot Plate	01			
6.	Magnetic Stirrer	01			
7.	Muffle Furnace	01			
8.	Infiltrometer	02			
9.	Digestion Block	02			
10.	Atterberg's Limits Meter	03			
11.	Hydrometer	04			
12.	Hydraulic Conductivity Meter	01			
13.	BOD Incubator	01			
14.	Digital Moisture Meter	01			


DEAN

Copy to the following for information & n/a:

1. The Comptroller, SKNAU, Jobner to request for nominated member on dated 18-12-2025 for complete tender.
2. The treasurer, SKANU, Jobner
3. Commissioner, Information and Public Relation Directorate Jaipur to send tender for publishing in local Newspaper Like Dainik Bhaskar/ Patrika/ Rastradoot in Bharatpur division in lowest rate.
4. General Manager, District Industries Centre, near Kendriya Vidhalaya. RIICO Road, Bharatpur-321001 Email: dicbharatpur@rajasthan.gov.in
5. Convenor & members Tender Committee, COA, Kumher
6. Account section COA Kumher
7. All Notice Board/ COA/Tahsil office/Panchayat office Kumher
8. Guard File


DEAN



Terms and condition for purchasing of items
at

College of Agriculture, Kumher

Important annexure/documents except financial bid should be kept in envelope 1 along with tender fee DD if not already paid to this office and earnest money DD.

1	Envelope 2 should contain only financial bid and it will be opened only when technical bid of the tenderer is passed
2	Submit a sealed envelope containing both envelope 1 and 2 to the office on or before 11:00 AM of 23-03-2026.
3	The Firm has to submit valid PAN and GST certificate (photocopy)
4	The firm must submit three years of turnover certified with CA. or GST Return
5	The firm must submit forfeit certificate
6	The firm must enclose Authorized Dealer/ OEM Certificate
7	The firm deposit 2 % Security or EMD Rs 11900/- amount with tender documents and supply item within 10 days at COA, Kumher.
8	Free Installation and warranty of 1 year of supply of instrument
9	The value of the work order against this tender will be maximum 5.94 lakhs. It will be increase and decrease as per budget.
10	The firm should enclose last two-year Instruments & satisfactory installation report.
11	Payment will be released after satisfactory installation and no advance payment will be made.
12	The undersigned reserve the right to Reject/Accept tender without assigning any reason of thereof.
13	The Rate should be quoted F.O.R College of Agriculture, Kumher Distt. Deeg (Rajasthan)
14	Tender for purchasing of items for College of Agriculture should be mentioned on the top of envelope and should be sent in sealed envelope addressing Dean, College of Agriculture, Kumher Distt. Deeg (Rajasthan).
15	No advance payment will be made to the tenderer and the money will be released only after satisfactory completion of work i.e. supply, installation and verification by purchaser.
16	The tenderer must put his signature and stamp on every paper of tender including terms and condition
17	The prices should be type written clearly in ink against each item. Cutting should be avoided as erroneous and overwriting are not permissible.
18	Any lapse in time may lead to action against the tenderer under RTPP 2012, RTPP 2013 and other rules laid down by Rajasthan Govt. from time to time and the penalty (L.D.) will be charged.
19	The material should adhere to the specification provided in G- Schedule.
20	<p>GENERAL TERMS & CONDITIONS (Applicable to All Equipment)</p> <ol style="list-style-type: none"> Quoted price must include supply, installation, commissioning and demonstration at site. Equipment must be supplied with all required standard accessories. Minimum 1 year comprehensive onsite warranty from installation date. Operation & Maintenance Manual must be provided. Calibration certificate (where applicable) must be supplied. Delivery period must be clearly mentioned. Local/Regional after-sales service support must be available. Equipment must comply with relevant national/international standards. Bidder must submit the following: <ul style="list-style-type: none"> ▪ Detailed technical brochure ▪ Point-by-point compliance statement ▪ CE certificate copy (where applicable) ▪ Warranty declaration ▪ Delivery confirmation
21	Any other terms & conditions except cited above will be as per RTPP 2012, RTPP 2013, Rule no.68 of General Finance and Account, Raj. Govt. notification dated 19.11.2015 and other guidelines provided by state government from time to time
22	The firms from Rajasthan state and outside Rajasthan state which are not included in price preference status by General Finance and Audit rules of Rajasthan, while comparing the price quoted the Rajasthan

	sale tax/VAT will not be included and only central sale tax will be included. Which means the sale tax/VAT will not be included in price quoted by local firms while central sale tax will be included in price quoted by firms which are not in price preference status of Rajasthan Government. Liquidated damage (2.50 to 10 Percent) will be recovered as per Page 4 General finance and audit rules if the material is not supplied within time as per the following. a) Lapse of one fourth period than the stipulated time - 2.50% b) Lapse of one fourth periods but not half than the stipulated time - 5.00% c) Lapse of half to three fourth period than the stipulated time - 7.50% d) Lapse of more than three fourth period than the stipulated time - 10%
23	The tenderer will have to sign the "Fall clause" (Appendix D attached) stating that he will have to supply the material to other departments, corporations, boards, PSUs on the same minimum quoted rates as to the college till the contract expires.
24	The tenderer shall give an undertaking that his firm has not been black listed (Appendix I attached). If it is found otherwise then bid security, performance security will be seized and court case will be registered against him.
25	Lowest price quoted will not qualify for selection of tender but quality and desired standards will also be considered.
26	The product must be certified
27	The rates quoted must be Freight on Receipt (FOR) at College of Agriculture, Kumher Distt. Deeg (Rajasthan) otherwise installation, cost of packing, forwarding, freight etc. and all other charges be given. No amount other than that is quoted in financial bid will be paid.
28	All taxes and excise duty if any to be charged extra should be mentioned clearly
29	Supporting documents shall be verified with originals during the of tender process. Supporting documents may also be sought as proof. Further, verifications of documents, claims, etc., may also be done by department any time even before/during or after finalization of tender bid/process
30	The Bid Security amount of the successful bidder may be adjusted in performance security of the bidder
31	Tender will be cancelled if the security deposit or tender fee is not submitted.
32	Successful bidder will have to deposit performance security amount of @ 5 % of the order given to the bidder in the form of DD favoring Dean, College of Agriculture Bharatpur.
33	Dean, College of Agriculture, Kumher Distt. Deeg (Rajasthan) reserves the right to seize in part or whole amount of Performance security, Bid Security money if the tenderer violates the terms and conditions or fails to complete any provision
34	The guidelines for number/figure mistakes in financial bids: The tender committee will rectify the numerical mistakes as per the following rules
35 a	If there is mistake in multiplying unit price with quantity, the unit price will be considered and corrections will be made in grand total. If committee feels that there is mistake in decimal place of unit price then grand total will be considered & corrections will be made in unit price.
B	If there is mistake in addition and subtraction of various units then unit prices will be considered and corrections will be made in total price.
C	If there is mistake in figures and words then the words will be considered unless there is any mistake in writing the numbers. The figures will be considered as per a) & b) listed above.
36	Any accident/ mishap during the execution of the job will be the responsibility of the agency concerned, which will get the necessary insurance done at their cost.
Technical Bid	
1	There will be no exception in EMD in the bid. The bidder must submit EMD.
2	Installation, Commissioning and Testing of goods will be carried out completely by the supplier.
3	Supplier have to submit supply order in the any Institution/organization during last 3 year. Supplier/OEM have to provide Helpline Number along with Local/Regional after-sales service support
4	The supplied items are expected to have the manufacturer's logo and product details embossed/ printed on it.
5	Department is competent to cancel the Tender without quoting any reason thereof.
6	After the award of contract, the bidder is expected to execute the order before the ending of financial year 2025-26.

Handwritten signature

Handwritten mark

Declaration by the Bidder regarding Qualification

In relation to my/our Bid submitted to for procurement of in response to their Notice Inviting Bid No. Dated..... 1. I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012, that:

1. I/We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
2. I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the bidding document;
3. I/We are not insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/We do not have a conflict of interest as specified in the Act, Rules and Bidding Document, which materially affects fair competition;

Date:

Place:

Name:

Designation:

Signature of Bidder

DECLARATION BY TENDERERS

We hereby declare that we are Bona-fide manufacturer/Authorized whole sellers/Sole distributors/Authorized Dealer Distributor/Sole Selling/Marketing Agent in the Goods/Store/equipment's/item for which we have tendered. If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature of Tenderer with seal

 

DECLARATION BY TENDERERS

I/We hereby declare that we are not blacklisted by any Govt. Department/PSU/Company from last 3 years, wherever we have supplied placement work/service unit, for supplying substandard goods/services to these units. I/We also declare that I/We are not defaulter, insolvent in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons.

Signature of Tenderer with seal





FALL CLAUSE CERTIFICATE

This is to certify that we have offered the maximum possible discount to you in our Quotation No. _____ dated _____

The prices charged for the stores supplied under Rate Contract should under no event be higher than lowest prices at which the party sells the items of identical description to any other Govt. Organization/ PSU's/ Central Govt./State Govt. Autonomous bodies/Central/State Universities/Central/State Educational Institutions during the period of contract failing which the "FALL CLAUSE" will be applicable. In case, if the price charged by our firm is more, purchasing will have the right to recover the excess charged amount from the subsequent/unpaid bill of the supplier.

Seal and Signature of the Tenderer

 

[See rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal Noof

Before the (First / Second Appellate Authority)

1. Particulars of appellant:

(i) Name of the appellant:

(ii) Official address, if any:

(iii) Residential address:

2. Name and address of the respondent(s):

(i)

(ii)

(iii)

3. Number and date of the order appealed against and name and designation of the officer / authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal:

6. Grounds of appeal:

.....
.....
.....

..... (Supported by an affidavit)

7. Prayer:

.....
.....

Place

Date

Appellant's Signature



Annual Turnover

Certificate We hereby declare that the annual turnover of our firm is as under.

S. No. Financial Year Turnover (In Lakh)

1	2022-2023
2	2023-2024
3	2024-2025

Total Turn Over

Avg. Turn Over

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Signature of Tenderer with seal

Verified by C.A. with UDIN



Affidavit
(on non-judicial stamp paper of 100/-)

I..... S/o Aged..... yrs, residing at Proprietor/Partner/Director of M/s Do hereby solemnly affirm and declare that

(a) My/our above noted enterprise M/s Has been issued acknowledgement of Entrepreneurial Memorandum Part-II by the District Industries Center..... The acknowledgment No. is Dated And has been issued for manufacture of following items:

- (i)
- (ii)
- (iii)
- (iv)
- (v)
- (vi)

(b) My/our above noted acknowledgement of Entrepreneurial Memorandum Part-II has not been cancelled or withdrawn by the Industries Department and that the enterprise is regularly manufacturing the above items.

© My/our enterprise is having all the requisite plant and machinery and is fully equipped to manufacture the above noted items.

Signature of proprietor /Director
Authorized Signatory with Rubber
Stamp and date

Verification

I..... S/oAged yrs residing at Proprietor / Partner/ Director of M/s verify and confirm that the contents at (a), (b) and (c) above are true and correct to the best of my knowledge and nothing has been concealed there in. So, help me God.

Deponent

Specification of Laboratory items

S. No.	Items	Quantity/Set	Specifications
1.	Serological Water Bath (25 liter)	01	Capacity: 25 Litre Size (W X D X H): 400 x 300 x 175mm (6 Racks) Temperature range from ambient to 100°C Thermostatically controlled with an accuracy of $\pm 1^\circ\text{C}$. Double walled inside stainless steel 304 Grade and outside of mild steel duly powder coated. Microprocessor Based PID Temp. Controller Cum Indicator Pump Stirrer and DC Motor for Stirrer Supplied with two pilot lamps, Temperature control knob, On/Off switch, Stainless steel cover. To operate on 220 / 230V A.C. Supply. Warranty: 1 Year
2.	pH Meter	01	pH Range: -2.000 to 16.000 pH (Standard Mode), -2.00 to 16.00 pH (Basic Mode) pH Resolution: 0.001 pH, 0.01 pH pH Accuracy: ± 0.01 pH, ± 0.002 pH pH Calibration: 5 points (standard mode) 1.68, 4.01 (3.00†), 6.86, 7.01, 9.18, 10.01, 12.45, and two custom buffers; 3 points (basic mode) 4.01; 6.86; 7.01; 9.18; 10.01 pH Temperature Compensation: ATC: -5.0 to 100.0°C; 23.0 to 212.0°F ORP Range: ± 2000.0 mV ORP Resolution: 0.1 mV ORP Accuracy: ± 0.2 mV (± 999.9 mV); ± 1 mV (± 2000 mV) mV Range: ± 1000.0 pH in mV mV Resolution: 0.1 mV mV Accuracy: ± 0.2 mV Temperature Range: -20.0 to 120.0 °C, -4.0 to 248.0 °F Temperature Resolution: 0.1 °C, 0.1 °F Temperature Accuracy: ± 0.5 °C, ± 0.9 °F Logging Type: log-on-demand; log-on-stability, interval logging Logging Memory: up to 1000 records; log-on-demand (max. 200 logs); manual log-on-stability (max. 200 logs); interval logging (max. 600 samples; 100 lots) Connectivity: 1 micro-USB port for charging and PC connectivity, 1 USB port for flash storage GLP: Yes, Calibration Timeout Reminder: Yes, Autoend: Yes Display: segmented LCD Warranty: 1 Year
3.	Microwave Oven (32 liter)	01	Modes: Convection, Grill, and Microwave (often used in combination). Power Output: Typically 900W for microwave functions. Power Consumption: Convection: ~2100W to 2400W Grill: ~1250W to 1500W Microwave: ~1400W

			<p>Dimensions: Approximately 53 cm (W) x 32 cm (H) x 52 cm (D).</p> <p>Turntable Size: Large glass plate, usually 340 mm in diameter.</p> <p>Cavity Material: Often Stainless Steel or Ceramic Enamel for durability and easy cleaning.</p> <p>Warranty: 1 Year</p>
4.	Analytical Balance (Readability: 0.0001 g)	01	<p>Max. (Capacity): 220g Readability (d): 0.0001g Repeatability: 0.2mg Linearity: 0.4mg Min. Capacity: 10mg Verification Scale Intervals (e): 1mg Calibration: Internal Calibration Class: Class I Display: 5 inch Touch Screen Response Time: 3-5 Sec Pan Size (mm): 80 mm Ø Tare Range: Full Operating Temperature: 15°C to 30°C Sensitivity Drift (±): 2ppm/°C Density: Function Available Key Sound: Yes Weighing Chamber: 240 x 190 x 265 mm Unit: g, mg, ct, oz Baud rate Options: 1200, 2400, 4800, 9600 Interface: RS232C Power Supply: AC 220V/50-60 Hz Dimension (LxWxH): 475 x 315 x 485 mm Weight: 10 Kg STANDARD ACCESSORIES: Main Instrument, Weighing PAN, Power Cable, Dust Cover, Test Certificate. SALIENT FEATURES Electro Magnetic Force Compensation Percentage Weighing Density Determination Function Piece Counting Function Underhook Weighing Calibration with Internal weight Time, Date Warranty: 1 Year</p>
5.	Hot Plate	01	<p>Body material of hot plate should be made of powder coated Mild Steel sheet.</p> <p>Top plate should be made of 5 mm thick Stainless Steel (SS 304) smooth and no screw.</p> <p>Heating element material: Kanthal Al (ISO Certificate required for Kanthal A- 1 grade wire) heating elements well insulated with ceramic blanket</p> <p>Size of hot plate: Top plate 12 inch x 18 inch rectangular.</p> <p>Power Rating 2.5-4.0 KW.</p> <p>Power supply- Single Phase 220/230 V, 50 Hz AC.</p> <p>Temperature controller: External auto-tuneble Digital PID indicator-cum Controller with K type thermocouple, and Energy Regulator with stand.</p> <p>Temperature range 50-320oC (£50C with maximum temperature 300oC)</p> <p>Chemical Resistance and Temperature Uniformity throughout the top plate</p>

			<p>Safety Measures: Ensure that electrical cords and temperature sensor probe wire do not come in contact with the surface of hot plate. Temperature control Knob should be clearly marked with ON/OFF position with 'power-on' indicator light and automatic high temperature shut-off. Hot plate should be CE certified.</p> <p>Warranty: 1 Year</p>
6.	Magnetic Stirrer	01	<p>Heating plate material: Ceramic Coated Stainless Steel Dimension of heating plate: ~ 150mm Three display windows for: Temp., RPM and Time Speed range: ~50 – 1200RPM Heat output: 650W Heating capacity: 2 Ltr Stirring capacity: 20 Ltr Max. stirring bar length: upto 80mm bar (at low speed) Temperature range: Ambient to 350°C Approx. Adjustable safety cut off: ~50 – 400°C Control accuracy of PT 100: ± 1K Weight : 3.0-4.0 kg Dimensions: ~273 x 160 x 102mm Permissible ambient temp.: 5 – 40°C Permissible relative humidity: 80% Frequency: 50/60Hz Voltage: 230/240V Warranty: 1 Year</p>
7.	Muffle Furnace	01	<p>Outer shell: Double walled thick stainless steel sheet with insulation Fitted with muffle block for heating elements Working temperature: 1150 °C Max temperature: 1200 °C Controlled by microprocessor based PID digital temperature controller cum indicator with dual display Separation of temperature portion & electronic controlling portion to save controller from heat. Muffle door: Hinged type and provided with 1" diameter hole and lid A Fume exhaust pipe at back of furnace. Inner muffle size: 225×225×450 mm Warranty: 1 Year</p>
8.	Infiltrometer	02	<p>Double ring Reading accuracy: 1 mm Registration type: Manual Package size: 60 cm outer × 50 cm inner × 50 cm height Warranty: 1 Year</p>
9.	Digestion Block	02	<p>Temperature range: Ambient–400 °C Resolution: 0.1 °C Display: Digital Heater rating: 1500 W / 07 Amp / 220 V Timer: 999 min Hole size: 100–150 mm depth × 38 mm dia. Block digestion size: 280×165×70 mm Warranty: 1 Year</p>
10.	Atterberg's Limits Meter	03	<p>Atterberg Limit Test Kit should include: - Liquid limit device (1 set) - Plastic limit device (1 set) - Shrinkage limit set (1 set)</p>

Handwritten signature

			Complete set consists of: Glass plate (20×15 cm, frosted side), brass/stainless steel rod (3 mm dia × 150 mm), flexible spatula, moisture containers, porcelain basin (150 mm dia), plastic wash bottle (500 ml) Warranty: 1 Year
11.	Hydrometer	04	Soil hydrometer I 52H ASTM/AASHTO standard compliant Graduation: -5 to +60 g/L Calibration: 68 °F Construction: Molded, seamless Scale: Bouyoucos, double scale Net weight: 4 oz (113 g) Warranty: 1 Year
12.	Hydraulic Conductivity Meter	01	Measurable ksat values (min.): 0.01 cm/d Measurable ksat values (max.): 5000 cm/d Hydraulic Conductivity (ks) of the porous plate: 14000 cm/d Pressure sensor accuracy: 1 pa (0.01 cm wc) Temperature sensor accuracy: 0.2 °C (0.4 °f) Sampling ring dimensions: Volume: 250 ml height: 50 mm inside Diameter: 80 mm 100 ml sampling rings available w/adapter Warranty: 1 Year
13.	BOD Incubator	01	Double-walled construction. Inner chamber made of high-grade Stainless Steel (SS). Outer body made of Mild Steel (MS), powder coated. Unbreakable transparent acrylic inner door for inspection without disturbing chamber temperature. Adequate PUF insulation between inner and outer walls. Temperature Range: 5°C to 50°C. Working Range: Up to 45°C. Temperature Accuracy: ± 0.5°C. Controlled by electronic PID controller cum digital indicator. Two air circulation fans for uniform temperature distribution. Refrigeration system with Kirloskar CFC-free compressor. Eco-friendly refrigerant. Interior Dimensions (approx.): 505 × 830 × 415 mm (20" × 34" × 17"). Capacity: 170-175 Liters. Shelves: Minimum 3 Nos. Internal illumination with 3 tube lights. 24-hour timer. Power Supply: 220/230 Volts AC. Warranty: 1 Year
14.	Digital Moisture Meter	01	Measuring range: 3.5% to 40% Accuracy: ±0.2% Display: 2×16 character LCD Size/weight: ~45 × 25 × 33 cm, ~24 kg Power: 6 × 9V dry cell or 230 V, 50 Hz AC via adapter Data logging: 999 readings stored. Warranty: 1 Year

2024

College of Agriculture, Kumher
(SKN Agriculture University-Jobner)
District Deeg-321201 Rajasthan
Supply of Laboratory Items

Technical specification

S.No.	Items	Specifications	Make/Model of item/ goods offered	Proof (submitted at page No.)
1.	Serological Water Bath (25 liter)	As per specification		
2.	pH Meter	As per specification		
3.	Microwave Oven (32 liter)	As per specification		
4.	Analytical Balance (Readability: 0.0001 g)	As per specification		
5.	Hot Plate	As per specification		
6.	Magnetic Stirrer	As per specification		
7.	Muffle Furnace	As per specification		
8.	Infiltrometer	As per specification		
9.	Digestion Block	As per specification		
10.	Atterberg's Limits Meter	As per specification		
11.	Hydrometer	As per specification		
12.	Hydraulic Conductivity Meter	As per specification		
13.	BOD Incubator	As per specification		
14.	Digital Moisture Meter	As per specification		

Signature of Tenderer with seal



College of Agriculture, Kumher
(S.K.N. Agriculture University-Jobner)
Distt. Deeg (Rajasthan)
Supply of Laboratory Items

Financial Bid

S.No.	Particulars/Items	Price All Tax /GST Included	If any
1.	Serological Water Bath (25 liter)		
2.	pH Meter		
3.	Microwave Oven (32 liter)		
4.	Analytical Balance (Readability: 0.0001 g)		
5.	Hot Plate		
6.	Magnetic Stirrer		
7.	Muffle Furnace		
8.	Infiltrometer		
9.	Digestion Block		
10.	Atterberg's Limits Meter		
11.	Hydrometer		
12.	Hydraulic Conductivity Meter		
13.	BOD Incubator		
14.	Digital Moisture Meter		

Signature of Tenderer with seal

