



COLLEGE OF HORTICULTURE
(S.K.N. AGRICULTURE UNIVERSITY, JOBNER)
DURGAPURA, JAIPUR



Prof. L. N. Bairwa
DEAN & FC (Hort.)

Phone: 0141-2992057,(M): +91 9414932548
E-mail: dean.coh@sknau.ac.in

No.F()/SKNAU/COH/Store/NMPB Project/2026/ 796

Date: 29/9/2026

LIMITED TENDER NOTICE

Sealed Limited tenders are invited from the registered reputed, authorized firms/dealers/contractors for Painting and Repairing of Post Harvest and Food Processing Laboratory under NMPB Project at College of Horticulture, Durgapura, Jaipur as per specifications mentioned in **ANNEXURE-A**. Interested firms/tenderers may submit their rates/tender in enclosed format to this office latest by **12:00 Noon on 05.10.2026**. The tender will be opened by the committee on the same day at 02.00 P.M. Approximate cost of items Rs.1,99,000 /-.

S. No.	Items	Specification	Estimated cost including all taxes (Rs.)
1.	Painting and Repairing of Post Harvest and Food Processing Laboratory under NMPB Project at College of Horticulture, Durgapura, Jaipur	As mentioned in ANNEXURE- A	1,99,000/-

- 1.The tenders must be submitted in properly sealed envelope duly marked tender for the supply for.....
2. The rates quoted must be F.O.R. destination at COH, Durgapura, Jaipur
3. The undersigned is not bound to accept the lowest tender and reject any tender or any part of the tender without assigning any reason thereof.
- 4.The responsibility of GST/other charges, tax etc. applicable as per Govt. rules will be borned by the supplier.
5. GST/Registration and PAN are to be enclosed with tender.
6. The items quantity may be changed as per need.
7. Cost will be including taxes.


29.9.2026
DEAN

Copy to followings for information and necessary action: -

1. The Incharge, SPPP/SHPP, COH, Durgapura to upload this Limited Tender on University Website/SPPP portal.
2. The Convenor/Member, Tender Committee, COH, Durgapura, Jaipur.
4. The DDO/Accts. Section, COH, Durgapura, Jaipur.
5. Tender File.
6. Notice Board, COH, and RARI, Durgapura, Jaipur.


29.9.2026
DEAN

COH, Durgapur

Price Format :

S.No.	Specification	Quantity	Total Rate with (GST)
1.	FALSE CEILING tiles thickness 7mm Size 595x595mm (2x2 Sqft) Total area 16.6x45 Sqft (747 SQFT) Tile Colour white and pink whole design in tile surface. Tile grade 715 grade - T-grade (Heavy Duty). Root slab:- Anchor fasteners 6mm or 8mm Dash-Soffit cleat, Nut Bolt, Hanger wire- main tee. 1. Anchor fastener goes inside RCC roof, Holds. 2. Soffit cleat - small iron Patti with hole Connects fasteners to wire. 3. Hanger Wire 2 mm or 3mm - 3 feet to 5 feet length per having point level adjustable. 4. level clip / Butterfly clip: - To adjust height of Main Tee. 5. Nut Bolt 6mm or 8mm: To tighten Cleat + wire. Note: - labour charge: labour charge includes Complete. Installation proper alignment and clean finishing work. The work will be completed on time with full quality assurance.	780 SQFT	
2.	Three Way Water Tap System and Two Sink big size Made of Heavy Brass with Chrome polish. It is rust-proof, leak-proof and long life. Inside it has ceramic disc washer so water does not leak. 1. Material Quality: 100% Pure Brass Body: Not plastic, not iron. Heavy weight approx. 400-500 grams per tap. No rust, no break's 304 Grade Option: If you want best quality, Stainless Steel is available - full rust-proof 2. Internal Quality: Ceramic Disc Cartridge: Imported ceramic, not rubber washer. Life 5 lakh times ON/OFF. No leakage problem. Brass Spindle: Full brass thread, not loose after some months. 3. Outer Finish Quality: Triple Chrome Plating: Mirror finish like glass. Will not become black in water and sun. Smooth Handle: Easy to open for old people and children. No hard turning. 4. Water Flow Quality: High Pressure Tested: Tested at 10 Bar pressure. No crack, no leakage. Two Side Equal Flow: Both sides give same water speed, no low pressure on one side. Water Saving: Aerator fitted, saves 20% water. Middle point is connected to main water pipe / tank. Left and Right side are two separate taps with handles. Washbasin Material Ceramic - First Quality, White Glossy, No Crack Size 16 x 12 inch Standard Size Thickness Heavy 10-12mm, Not thin local Finish Glossy White - Triple Glazed, Stain Proof, Easy to Wash Brand Option Cera / Hind ware / Parry ware - A Grade Hole Single Hole for Tap Fitting		

BLU

Aut

3.	ALUMINIUM GATE: - prepare door and frame of total size about 70 sqft comprising Top panel in 5mm Translucent glass and Bottom ivory Fiber sheet modified board middle Pannel and top aluminium louvred vent 300mm high. Supply and install aluminium partition with extruded built up standard section/appropriate z-sections, glass, locks and other sections of approved make, fixing with dash fasteners of required diameter size, including necessary filling up the gaps at Joints, i.e. top bottom and side with required EPDM rubber / neoprene gasket. Door Details - Two partition 1. Aluminium and frame size 3x1 - Making door silver 4x8.6 SQFT (34.4 SQFT) 2. making frame 34.4 sqft 3. Branded door Closer (Godrej) No. 1 oil leakage guaranteed rack and pinion mechanism 4. Double speed adjustment (colour silver finishing) 1Nos	70 SQFT	
4.	<u>THREE TRACK UPVC SLIDING WINDOW: -</u> This estimate is for the supply, fabrication and installation of Three Track UPVC Sliding Window System with three-panel sliding operation. The system includes high-quality UPVC profiles which are weather resistant, corrosion free and durable for all seasons. One dedicated track is provided for smooth sliding mosquito mesh, while the other two tracks are for glass panels. We will use heavy-duty rollers, multi-point locks, handles and accessories to ensure smooth operation, enhanced security and long life. Glass options available are single glazed and double glazed as per tender requirement for better thermal insulation and sound proofing. Includes complete labour, material, hardware fitting, weather-grade silicon sealing around frames and neat final finishing with trimming. Energy efficient and sound proof system helps in reducing external noise and maintaining indoor comfort. Tender sizing available as per site measurement - installation will be done by qualified technicians as per standard guidelines. Window frame with rails. Track -1 Glass shutter-1 Track-2 = Glass shutter-2 Track-3- Mosquito Net / Jali shutter heavy duty. Frame size 112mm Width, 3 track Section - UPVC Aluminium 112mm Material includes Aluminium frame 3 track 2 glass shutters (5mm glass) Jali shutter (steel het) lock, Handle Bearing, silicon, fittings Prepare frame sing 108mm	135 SQFT	





Signature and seal of Firm owner/
Authorised person.