



कार्यालय भू-सम्पत्ति अधिकारी  
श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय  
जोबनेर 303329, जिला जयपुर (राजस्थान)  
फेक्स व फोन नं. 01425-254982

अल्पकालीन बिड सूचना सं. 39 (2025-26)

निम्न हस्ताक्षरकर्ता द्वारा श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय जोबनेर/सार्वजनिक निर्माण विभाग/केन्द्रीय लोक निर्माण विभाग/डाक एवं दूरसंचार/रेल्वे/अन्य राज्यों तथा सिंचाई विभाग राजस्थान/जनस्वास्थ्य एवं अभियान्त्रिकी विभाग, राजस्थान तथा स्वायत्तशासी संस्थानों से उचित श्रेणी में मान्यता प्राप्त पंजीकृत साथ ही इस कार्य के अनुभवी ठेकेदारों से निर्धारित प्रपत्र में द्वि लिफाफा पद्धति से मोहरबन्द बिड आमंत्रित की जाती है। बिड प्रपत्र दिनांक 17.03.2026 दोपहर 12.00 बजे तक बिड शुल्क जमा करवा कर प्राप्त किये जा सकते हैं। बिड दिनांक 13.03.2026 व किसी कारणवश छुट्टी हो जाने पर अगले कार्य दिवस को दोपहर 12.30 बजे तक निम्नहस्ताक्षरकर्ता के पास पहुंच जाने चाहिए। बिड दिनांक 17.03.2026 को दोपहर 01.00 बजे उन बिड दाताओं या उनके प्रतिनिधि के समक्ष खोली जावेगी जो उपस्थित रहना चाहेंगे।

कार्य का विवरण व अन्य शर्तें इस कार्यालय में किसी भी कार्य दिवस को कार्यालय समय में देखा जा सकता है। किसी भी बिड को स्वीकार करने अथवा बिना कोई कारण बताए निरस्त करने के समस्त अधिकार अधोहस्ताक्षरकर्ता के पास सुरक्षित होगा। ठेकेदार को बिड सील बंद लिफाफा नं. 01 पर तकनीकी बोली लिखकर उसमें GST पंजीयन, ठेकेदारी का वैध पंजीयन प्रमाण पत्र, बोली प्रतिभूति राशी की DD/BC, पेनकार्ड, ₹ 50/- के स्टाम्प पेपर पर शपथ-पत्र (परिशि ठ 'D'), प्रपत्र A,B,C तथा Form No. 1, तथा सील बंद लिफाफा नं. 02 पर वित्तीय बोली लिखकर उसमें जी-अनुसूची में अपनी दरे प्रस्तुत करनी है। समस्त करों का दायित्व बिडदाता का होगा। पी.एम.एफ.-100 की समस्त शर्तें लागू होंगी। बिड शुल्क डी.डी./बैंकर्स चैक द्वारा Estate Officer, SKNAU, Jobner के नाम से ही जमा की जायेगी।

बिड प्रपत्र विश्वविद्यालय की वेबसाइट [www.sknau.ac.in](http://www.sknau.ac.in) तथा राज्य सरकार के पोर्टल <http://sppp.rajasthan.gov.in> पर भी देखे जा सकते हैं।

क्रं सं	कार्य का नाम	अनुमानितला गत रु लाखों में	बोली प्रतिभूति	बिड शुल्क	इस वि. वि. में पंजीकृत संवेदको से बोली प्रतिभूति	कार्य पूर्ण करने की अवधि	यूनिक बिड नम्बर
1.	Repair and Renovation of Hostel at COA, Lalsot.	4.99	9,980	500	2,495	1 माह	
2.	Repair and Renovation of Hostel at COA, Bharatpur.	4.99	9,980	500	2,495	1 माह	
		<b>9.98</b>	<b>19,960</b>	<b>1000</b>	<b>4,990</b>		

भू-सम्पत्ति अधिकारी

No.F.13/SKNAU/EO/TENDER/2025-26/2314-18

दिनांक: 14.03.2026

प्रतिलिपि :-

1. श्रीमान् निजी सचिव कुलपति, श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर ।
2. श्रीमान् वित्त-नियंत्रक, श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर को प्रस्तुत कर लेख है कि वे स्वयं या उनका प्रतिनिधि बिड खोलने के समय उपस्थित होने का श्रम करावें ।
3. श्रीमान् कोषाधिकारी, श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर ।
4. सम्बन्धित अधिष्ठाता/निदेशक/कार्यक्रम समन्वयक/ऑफिसर ईन्चार्ज ।
5. लेखापाल / कैशियर ।
6. ईन्चार्ज सिमका, श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर इस बिड को तुरन्त राज्य के SPPP पोर्टल तथा विश्वविद्यालय वेबसाइट पर अपलोड करने हेतु।
7. नोटिस बोर्ड, E.O/अधिष्ठाता, जोबनेर ।
8. रक्षित पत्रावली ।

भू-सम्पत्ति अधिकारी

**बिडदाताओं द्वारा घोषणा**

मैं/हम घोषणा करता हूँ/करते हैं कि मैंने/हमने जिन सेवाओं के लिए बिड दी है, उनका/उनके/मैं/हम अधिकृत फर्म हैं।

यदि यह घोषणा असत्य पाई जाए तो किसी भी अन्य कार्रवाई, जो की जा सकती है, पर प्रतिकूल प्रभाव डाले बिना, मेरी/हमारी प्रतिभूति को पूर्ण रूप से जब्त (forfeit) किया जा सकेगा तथा बिड को, जिस सीमा तक उसे स्वीकार किया गया है, रद्द किया जा सकेगा।

**बिडदाता के हस्ताक्षर**



बिडदाता द्वारा घोषणा

मैं/हम घोषणा करता हूँ/करते हैं, कि हमने जिन सेवाओं को जहाँ कहीं भी प्रदान की है, वहाँ विगत 3 वर्षों में सेवाओं में कमी होने के कारण हमें किसी भी सरकारी विभाग/उपक्रम /कम्पनी द्वारा ब्लैकलिस्ट नहीं किया गया है।

हम यह भी घोषणा करते हैं कि हमें किसी भी न्यायालय द्वारा सामान प्रदायगी में कोई वाद लम्बित नहीं है तथा इस विषयान्तर्गत हमें किसी भी न्यायालय द्वारा दण्डित नहीं किया गया है।

बिडदाता के हस्ताक्षर



प्रपत्र - 'C'

**Price fall clause प्रमाण पत्र**

मैं/हम घोषणा करता हूँ/करते हैं, कि मेरे/हमारे द्वारा जो सेवाए प्रदान की जाएगी, उसमें वर्तमान खुली बोली की प्रस्तुत दरों से कम दरों पर किसी भी विभाग, निगम, बोर्ड, अन्य स्वायत्तशासी संस्था आदि को समान तरह की सेवाए प्रदान नहीं की जाएगी और यदि कम दरों पर ऐसी सेवाए दी जाती है तो दरे स्वतः ही उस तिथि से तदनुसार ही Downward संशोधित मानी जाएगी।

बिडदाता के हस्ताक्षर मय मोहर



**Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012**

Appeal No.....of.....

Before the..... (First/Second Appellate Authority)

**1. Particulars of appellant:**

(i) Name of the appellant:

(ii) Official Address, if any:

(iii) Residential address:

**2. Name and address of the respondent (S):**

(i)

(ii)

(iii)

**3. Number and date of the order appealed against and name and designation of the officer/ authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:**

**4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:**

**5. Number of affidavits and documents enclosed with the appeal:**

**6. Ground of appeal:**

.....

.....

..... (Supported by an affidavit)

**7. Prayer:**

.....

.....

Place ..... Date

.....

Appellant's Signature

**1. First Appellant Authority : Vice Chancellor, SKNAU, Jobner.**

**2. Second Appellant Authority : Principal Secretary.**



परिशिष्ट 'क'

50/- रू. के नॉन ज्यूडिसियल स्टाम्प पर प्रस्तुत करने वाले घोषणा पत्र का प्रारूप  
(नोटेरी से तस्वीक होना चाहिए)

मैं ..... (नाम) ..... (पिता का नाम) .....

(उम्र) ..... जाति ..... व्यवसाय .....

..... निवासी का हूँ जो कि शपथपूर्वक यह घोषणा करता हूँ कि—

1. मैं मेरी/हमारी फर्म ..... का एक मात्र मालिक/हिस्से दार हूँ तथा मैं यह घोषणा पत्र हस्ताक्षरित करने हेतु अधिकृत हूँ।
2. मेरी/हमारी फर्म ..... विभाग ..... में ..... श्रेणी में स्थायी/अस्थायी रूप से पंजीकृत है तथा यह पंजीयन आज दिनांक तक वैध है।
3. मेरे द्वारा भू सम्पत्ति अधिकारी, श्री कर्ण नरेन्द्र कृषि विश्वविद्यालय, जोबनेर द्वारा जारी बिड सूचना संख्या ..... में वर्णित पात्रता सम्बन्धी समस्त शर्तों का अध्ययन कर लिया है तथा समस्त शर्तें मुझे मान्य हैं एवं मेरी/हमारी फर्म उक्त बिड के कार्य क्रम संख्या ..... में बिडों भरने हेतु पात्र है तथा स्वीकृति के रूप में प्रत्येक पृष्ठ पर हस्ताक्षर एवं मोहर लगा दी है।
4. इन कार्यों को करने हेतु मेरी/हमारी फर्म के पास आवश्यक समस्त मशीनरी एवं अन्य संसाधन उपलब्ध हैं।
5. मेरे द्वारा उक्त बिड में प्रस्तुत किए गये समस्त दस्तावेज पूर्णतः वैध हैं तथा समस्त तथ्य सही हैं। मैंने कोई भी तथ्य छिपाया/घटाया/बढाया नहीं है।

उपरोक्त शपथ पत्र के क्रम संख्या 1 से 5 में वर्णित तथ्य मेरी निजी जानकारी अनुसार सही हैं

जिन्हे मैं सही होना मानता हूँ। ईश्वर मेरी मदद करें।

फर्म का पूरा पता .....

पैन नंबर .....

मोबाईल नंबर .....

बैंक का विवरण .....

बैंक का नाम मय शाखा .....

खाता संख्या .....

IFSC Code .....

(हस्ताक्षर शपथ ग्रहिता)

दिनांक .....

स्थान .....



## **OFFICE OF THE ESTATE OFFICER**

**SRI KARAN NARENDRA AGRICULTURE UNIVERSITY,**

**JOBNER-303329 Distt. Jaipur (Raj.)**

**Fax & Phone No. 01425-254982, Email ID:- [estateofficer@sknau.ac.in](mailto:estateofficer@sknau.ac.in)**

Tender Fee & EM %

CR. No. \_\_\_\_\_

### **SPECIAL CONDITION**

1. (a) Name of work: **Repair and Renovation of Hostel at COA, Lalsot.**  
(b) Name of the Contractor: \_\_\_\_\_  
(c) Estimated Cost: **4.99 Lacs**  
(d) Time & date for receipt : **Time: 12.30 PM Date : 17.03.2026**  
(e) Time & date of opening: **Time: 01.00 PM Date : 17.03.2026**  
(f) Site of work: **COA, Lalsot.**  
(g) Period of completion: **One Month.**
2. Sealed tender are invited on presenting basis item rate for the above work from the registered contractor of various department which will be received & opened by Estate Officer at the time & date of shown respectively at para (c) and (i) in the presence of those contractor who wish to be present.
3. Rate for tender premium quoted should be inclusive of all taxes and charges. No extra payment will be made for tax/duty/royalty or other charges.
4. For the item of the work shown in 'G' schedule which have a reference to the B.S.R. of Rajasthan PWD (B&R) in force of the date of opening of the tender of the relevant circle of PWD shall be consider correct and applicable in the case of any discrepancy.
5. The contractor shall bind himself/themselves to carry out quantity up to 50% excess of the quantities mentioned in the 'G' schedule at the rate quoted by him/them in this tender which may have been in force at the opening of the tender.
6. Work shall be done as per PWD (BSR) Rajasthan Standard Specification which may have been in force time to time and measurements will be done accordingly.
7. Decision of the Hon'ble Vice Chancellor, SKNAU, Jobner in matters of dispute shall be conclusive, binding and final.
8. Contractors are supposed to see the site conditions and quarries and no claim for any lead other than that including in the rates of various items of works shall be entertained by the university. The rates as shown against various items are complete and final.
9. Work shall be completed in all respect within the period of completion shown in para (b) from the date of written in work order to commence the work.
10. For reason beyond the control of the contractor, the university authorities may grant extension of the time for the period as considered reasonable.

11. If the contractor fails to commence the work within a week of the receipt of the work order it shall rest with the University to forfeit his 1% bid security.
12. Condition of any sort except as provided in the printed form PWD MF, amended up to date will be entertained. The condition in lieu with form PWD MF-64 will be a binding on the contractor.
13. The connection for water shall be obtained by the contractor from water works if the water is supplied by the University 1% of the amount of the bill will be recovered from all the bills.
14. Any conditional tender will not be accepted.
15. The offer shall remain valid for a period Three months from the date of receipt of the tender.
16. The contractor before submitting their terms and condition to execute the work must carefully go through the prescribed contract agreement (from 1 to 26) of the University successful tenderer shall be required to enter into an Agreement with the University as per general conditions laid therein.
17. Contractors should sign each page of the Tender documents including term and conditions incomplete tenders are liable to be rejected.
18. The undersigned reserves full powers to reject any or all tenders without assigning any reasons.



ESTATE OFFICER

Signature of the contractor  
With full address and phone or mobile No.

ESTATE OFFICER

**OFFICE OF THE ESTATE OFFICER  
SRI KARAN NARENDRA AGRICULTURE UNIVERSITY,  
JOBNER-303329 Distt. Jaipur (Raj.)**

Name of work - Repair and Renovation of Hostel of COA, Lalsot.  
Rates Based on - BSR PWD 2022 & Electirc BSR 2022.

**"G" Schedule**

BSR Item No	S.No.	Particulars	Quantity	Unit	Rate	Amount	Total Amount in Words
12.35.7	1	Colour washing of all shades to give an even shade including all scaffolding : Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches by sandla/loi. (only for colour changing ).	9000.00	Sqm	4.00	36000.00	Rupees Thirty Six Thousand Only
12.22.2	2	Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete: Old Plastered Surface (two or more coats)	500.00	Sqm	46.00	23000.00	Rupees Twenty Three Thousand Only
12.37.2 (b)	3	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including all scaffolding: Old work (one or more coats) including scrapping surface and necessary repairs. Same colour	5500.00	Sqm	11.00	60500.00	Rupees Sixty Thousand Five Hundred Only
12.43.2	4	Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including preparation of base with sand papering, primer, putty, etc complete in all respect including scaffolding and safety provision: Old Work.	4200.00	Sqm	50.00	210000.00	Rupees Two lakh Ten Thousand Only
12.46.2	5	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : One or more coats on old work.	2000.00	Sqm	34.00	68000.00	Rupees Sixty Eight Thousand Only
		<b>Part "B" Electric Items</b>					
E-4.1.2	6	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor as per PWD specification for electrical Works with ISI marked (IS:694) and as per IS 8130 : 2013 of 1.1 kV grade . Wire should be made from 99.90 % purity copper, class 5 stranding in acc. to IS:8130/IEC 60228 for lower watt loss , oxygen free for less chances of oxidization, insulation PVC type A/C/D , flame retardant as per IS 10810-53, better amperage rating as per IS:3961 part 5, in existing surface or recessed PVC/ MS conduit/casing capping making onnections with Copper Lugs of suitable size, Ferrules,testing+ etc. as required. OEM Must have its own in house NABL lab setup for all testing facilities for wires. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR: 2 x 1.5 sq.mm	150.00	Mtr.	43.00	6450.00	Rupees Six Thousand Four Hundred Fifty Only
E-17.2.2	7	Providing & Fixing of energy efficient direct fit (Retrofit) Polycarbonate/ Glass housing SMD Mid Power LED tube rod (with integral driver & alumn. heat sink ) , on existing fixture. system lumen efficacy $\geq 100$ lm/Watt output, internal surge protection of 2.5 KV ,THD < 20% ,p.f. $\geq 0.95$ ,CRI >80 , life time of minimum 35000 Burning Hours with , 70% of intial Lumen maintained till life ends , CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin) , maximum power consumption should not more than the specified rating and Fixture shall be of BIS standard and trade mark certificate ( T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities or LED fixtures. (LM79 & LM80)certificate / Report from OEM shall be submitted. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexur+e "A" attached with this BSR . 1200mm , Min. Lumens output 2000 lm LED Tube rod with Polycarbonate Housing	20.00	Nos.	270.00	5400.00	Rupees Five Thousand Four Hundred Only
E-15.7.1	8	Providing & Fixing of BEE Star rated copper wounded double ball bearing capacitor start, aluminium body & Metallic blade ceiling fan Conforming to all the performance requirements laid down in IS 374:2019 including all amendments, as applicable ; & Carry BIS licensing (i.e. ISI marking) with down rod up to 80 cm with secondary support safety cable ( steel rope ) , cotter pin with 3 x 1.5 sq.mm pvc insulated flexible copper conductor making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 1200 mm Sweep BEE 1 Star rated (service value $\geq 4.0$ to < 4.5 )	15.00	Nos.	1890.00	28350.00	Rupees Twenty Eight Thousand Three Hundred Fifty Only

E-18.12.2	9	Providing & Fixing of IK08, IP 66 protected LED Street Light Luminaire on existing bracket/pole. Fixture made of powder coated single piece pressure die cast aluminum material with heat dissipation fins n housing with UV stabilized PC (UV stablization report submitted for UV cover ) /Toughened Glass cover and secondary lens on each LED & should be SMD type of 3 to 5 watt each . The System efficacy >=125 lm/ wt and potted driver & has a unique BIS R number with Input Voltage AC 120 to 270 V AC with High voltage Cutoff @>=300 V AC and Auto resetting Safety , Power Factor >0.95 driver Efficiency 85% ,THD(I) <10% Humidity 10% to 90% RH Working Temp -5C to 45C . driver current <750mA. The luminaire shall be BIS certified and Trade mark certified. Life Expectancy Equal or more than 50000 burning hrs with Minimum 70% lumen maintained , CRI >70 and CCT 5700K +355K. Surge protection shall be min ≥ 4 KV internal and min 10 KV external inside driver compartment. driver should be Phase to phase protection of 440 V for 4 Hrs. Manufactures Word Mark/Name Engraved/Embossing on die cast housing to allow traceability/authenticity. Fixture shall be AS PER IS 10322 omplianced.OEM Must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79/LM80) Certificate/ report with liable warranty of product/accessories from OEM shall be submitted. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . <b>LED Street Light fixture with Minimum lumen output 3700 lm</b>	15.00	Nos.	3370.00	50550.00	Rupees Fifty Thousand Five Hundred Fifty Only
E-18.18.2	10	Providing & Fixing of Street light bracket made out from following size of ' B ' class , Medium class G.I. Pipe confirming to IS : 1239 P - 1 ( 2004 ) with heavy duty pole clamp, Saddles suitable fastners etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . <b>25 mm Dia.</b>	20.00	Mtr.	540.00	10800.00	Rupees Ten Thousand Eight Hundred Only
				<b>Total amount</b>	<b>499050.00</b>	<b>Rupees Four lakh Ninety Nine Thousand Fifty Only</b>	



Estate Officer

I/we beg to tender as per .....% above/below of the "G" schedule

**Signature of Contractor**  
With full Address

Estate Officer

# OFFICE OF THE ESTATE OFFICER

SRI KARAN NARENDRA AGRICULTURE UNIVERSITY,

JOBNER-303329 Distt. Jaipur (Raj.)

Fax & Phone No. 01425-254982, Email ID:- [estateofficer@sknau.ac.in](mailto:estateofficer@sknau.ac.in)

Tender Fee & EM %

CR. No. \_\_\_\_\_

## SPECIAL CONDITION

1. (a) Name of work: **Repair and Renovation of Hostel at COA, Bharatpur.**  
(b) Name of the Contractor: \_\_\_\_\_  
(c) Estimated Cost: **4.99 Lacs**  
(d) Time & date for receipt : **Time: 12.30 PM Date : 17.03.2026**  
(e) Time & date of opening: **Time: 01.00 PM Date : 17.03.2026**  
(f) Site of work: **COA, Bharatpur.**  
(g) Period of completion: **One Month.**
2. Sealed tender are invited on presenting basis item rate for the above work from the registered contractor of various department which will be received & opened by Estate Officer at the time & date of shown respectively at para (c) and (i) in the presence of those contractor who wish to be present.
3. Rate for tender premium quoted should be inclusive of all taxes and charges. No extra payment will be made for tax/duty/royalty or other charges.
4. For the item of the work shown in 'G' schedule which have a reference to the B.S.R. of Rajasthan PWD (B&R) in force of the date of opening of the tender of the relevant circle of PWD shall be consider correct and applicable in the case of any discrepancy.
5. The contractor shall bind himself/themselves to carry out quantity up to 50% excess of the quantities mentioned in the 'G' schedule at the rate quoted by him/them in this tender which may have been in force at the opening of the tender.
6. Work shall be done as per PWD (BSR) Rajasthan Standard Specification which may have been in force time to time and measurements will be done accordingly.
7. Decision of the Hon'ble Vice Chancellor, SKNAU, Jobner in matters of dispute shall be conclusive, binding and final.
8. Contractors are supposed to see the site conditions and quarries and no claim for any lead other than that including in the rates of various items of works shall be entertained by the university. The rates as shown against various items are complete and final.
9. Work shall be completed in all respect within the period of completion shown in para (b) from the date of written in work order to commence the work.
10. For reason beyond the control of the contractor, the university authorities may grant extension of the time for the period as considered reasonable.

11. If the contractor fails to commence the work within a week of the receipt of the work order it shall rest with the University to forfeit his 1% bid security.
12. Condition of any sort except as provided in the printed form PWD MF, amended up to date will be entertained. The condition in lieu with form PWD MF-64 will be a binding on the contractor.
13. The connection for water shall be obtained by the contractor from water works if the water is supplied by the University 1% of the amount of the bill will be recovered from all the bills.
14. Any conditional tender will not be accepted.
15. The offer shall remain valid for a period Three months from the date of receipt of the tender.
16. The contractor before submitting their terms and condition to execute the work must carefully go through the prescribed contract agreement (from 1 to 26) of the University successful tenderer shall be required to enter into an Agreement with the University as per general conditions laid therein.
17. Contractors should sign each page of the Tender documents including term and conditions incomplete tenders are liable to be rejected.
18. The undersigned reserves full powers to reject any or all tenders without assigning any reasons.



ESTATE OFFICER

Signature of the contractor  
With full address and phone or mobile No.

ESTATE OFFICER

**OFFICE OF THE ESTATE OFFICER**  
**SRI KARAN NARENDRA AGRICULTURE UNIVERSITY,**  
**JOBNER-303329 Distt. Jaipur (Raj.)**

Name of work - Repair and Renovation of Hostel of COA, Bharatpur.

Rates Based on - BSR PWD 2022 & Electirc BSR 2022.

**"G" Schedule**

BSR Item No	S.No.	Particulars	Quantity	Unit	Rate	Amount	Total Amount in Words
9.10	1	Providing and fixing in position collapsible steel shutters with vertical M.S. Channels 20 x 10 x 2mm and bracket with flat iron diagonals 20 x 5mm. size with top and bottom rail of Tiron 0 x 40 x 6mm. with 40mm dia steel pulleys/ball bearing complete with bolts, nuts locking arrangements inside and outside stoppers, handles etc. as per specification including applying a priming coat of approved steel primer. (To be easured and paid as per outer dimension).	5.40	Sqm	5174.00	27939.60	Rupees Twenty Seven Thousand Nine Hundred Thirty Nine and Sixty Paise Only
14.6	2	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	250.00	Sqm	15.00	3750.00	Rupees Three Thousand Seven Hundred Fifty Only
12.3.1	3	Plaster on new surface on walls in cement sand mortar 1:6 including racking of joints etc. complete fine finish : 25mm thick .	250.00	Sqm	211.00	52750.00	Rupees Fifty Two Thousand Seven Hundred Fifty Only
12.22.2	4	Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete: Old Plastered Surface (two or more coats)	400.00	Sqm	46.00	18400.00	Rupees Eighteen Thousand Four Hundred Only
11.19.1	5	Kota stone slabs 25 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete For area of each slab upto 2001 Sqcm	30.00	Sqm	912.00	27360.00	Rupees Twenty Seven Thousand Three Hundred Sixty Only
12.43.2	6	Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including preparation of base with sand papering, primer, putty, etc complete in all respect including scaffolding and safety provision Old Work	950.00	Sqm	50.00	47500.00	Rupees Forty Seven Thousand Five Hundred Only
S-3.16.3	7	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2 .) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. 110 mm dia	25.00	Mtr.	282.00	7050.00	Rupees Seven Thousand Fifty Only
S-3.17.3	8	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Plain Tee: 110 mm dia	3.00	Nos.	187.00	561.00	Rupees Five Hundred Sixty One Only
S-3.17.9	9	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Bend 87 .5: 110 mm dia	3.00	Nos.	161.00	483.00	Rupees Four Hundred Eighty Three Only
S-3.17.8	10	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant: Bend 45: 110 mm dia	3.00	Nos.	128.00	384.00	Rupees Three Hundred Eighty Four Only
		<b>Part "B" Electric Items</b>					
E-11.2.4.3	11	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Armoured Aluminium cable conforming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4- Grade electrolytic aluminium conductor conforming to IS 8130 of purity >99.6 %, round / flat strip armouring of cables, Inner / outer sheath conforming to IS:5831 in existing RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench / Cable tray(with cable tie) including testing etc. as required of following size. OEM must have it's own in house NABL accredited Laboratory for testing procedure as per IS:10810.For additional technical parameters of product / work refer Annexure 'A' attached with this BSR: 16.0 Sq. mm: 4 core	300.00	Mtr.	232.00	69600.00	Rupees Sixty Nine Thousand Six Hundred Only
18.1.4	12	Supply and erection of Galvanized Iron pole with galvanizing done in single dipping (Average coating thickness Minimum 65 Microns) continuously tapered poles having Octagonal / Circular cross-sections designed to withstand the maximum wind speed as per IS 875, The pole shaft shall be made from sheet steel (HT Steel Conforming to grade S355JO) and conforming to BSEN 10025 and shall be continuously tapered with single longitudinal welding. There shall not be any circumferential welding. The welding of pole shaft shall be done by Submerged Arc Welding (SAW) process. pole shafts shall be provided with the rigid flange plate of suitable thickness (Fe 410 conforming to IS 26 / IS 2062) with provision for fixing 4 no. foundation bolts, This base plate shall be fillet welded to the pole shaft at two locations i.e. from inside and outside.The octagonal Poles shall have lockable door of pproximate 500 mm length at the elevation of 500 mm from the Base plate with bakelite sheet having 6A SP MCB and 16 sqmm stud type connector ( 4 nos) inside the pole at door opening for cable connection of following length and dimension as per table P-01 with base plate and foundation bolt on the Existing cement concrete foundation.All as per pre approved by Engineer in charge. For additional technical parameters f products/ work , refer Annexure "A" attached with this BSR . :Poles with Octagonal Cross Section: 6 Mtr. Each 18981.0	12.00	Nos.	11164.00	133968.00	Rupees One lakh Thirty Three Thousand Nine Hundred Sixty Eight Only

18.8.1	13	Providing and Laying RCC Foundation for Octagonal / Conical Street Light poles, High mast Poles as per Drawing attach at Table P-4 with Following Procedure & All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . A) Excavation of Pit for Foundation Size upto required depth from Ground level B) Dressing of Pit and Dry stone pitching 200 mm thick including supply f stones and preparing surface complete. C) Providing and laying in position cement concrete of M-10 grade of 75 mm thickness D) Reinforcement for R.C.C. work with TMT bars including traightening, cutting, bending, placing inposition and binding all complete. E) Centring and shuttering including strutting , propping etc. and removal of form work for Footing and Pedestal F) Providing & Fixing of 2 no. Required Size PLB HDPE Pipe & Foundation Bolt with template as per OEM Recommendations. G) Providing and Laying Reinforce cement Concrete of M-25 grade in Footing and Pedestal including Curing the foundation for 7 days. H) Providing and Fixing Nosing Angle 40 mm x 40 mm x 6mm with 2 no. 100 mm long, 10 mm dia. Lugs on each face. Pole Foundation for Octagonal pole from 3 Mtr. To 6 Mtr.	12.00	Nos.	5827.00	69924.00	Rupees Sixty Nine Thousand Nine Hundred Twenty Four Only
18.11.2	14	Providing & Fixing of IK08 IP-66 protected high power LED flood light system with single piece Pressure diecast aluminium housing, toughened glass diffuser with suitable lenses on LED to achieve various beam angles, of high power LED of 3 to 5 watt each . Integrated potted driver as a unique BIS R number having efficiency more than 85 % and in compliance to BIS certified and Trade mark certificate. The System level Luminaire efficacy >=125 lm/ wt. LED driver Input Voltage AC 120 to 270 V AC with High voltage Cutoff @>=300 V AC and Auto resetting Safety .Power Factor >0.95 , THD(I) <10% , driver current <=750mA. driver should be Phase to phase protection of 440 V for 4 Hrs. Electrical Connector , Surge Protection Min >=4KV internal and 10KV external but inside driver compartment, System life of 50000 Burning hours with 70% of Initial Lumens maintained, CRI>70 and CCT 5700K ±355K. Manufactures Word Mark/Name Engraved/Embossing/Screen printing on die cast housing to allow traceability/authenticity. Fixture shall be IS 10322 Comlianced.OEM Must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79/LM80) Certificate/ report with liable warranty of product/accessories from OEM shall be submitted. All as per pre approved by Engineer in charge. For additional technical parametes of products/ work , refer Annexure "A" attached with this BSR . High Power LED Flood Light Minimum lumen output 6200 lm	12.00	Nos.	3213.00	38556.00	Rupees Thirty Eight Thousand Five Hundred Fifty Six Only
					<b>Total amount</b>	<b>498225.60</b>	<b>Rupees Four lakh Ninety Eight Thousand Two Hundred Twenty Five and Sixty Paise Only</b>



Estate Officer

Estate Officer

I/we beg to tender as per .....% above/below of the "G" schedule

**Signature of Contractor**  
With full Address